Safety Data Sheet - Updated on 01/30/2018

1 Identification

- · Product identifier: Black Pigment
- · Trade name: Black Pigment
- · Recommended use and restriction on use
- · Recommended use: Pigment
- · Restrictions on use: Contact manufacturer.
- · MANUFACTURER/SUPPLIER:
- · Diamond Coat Epoxy USA
- · 2530 Foresight Cir E
- · Grand Junction, CO 81505, USA
- · Phone: 1 (970) 628-1846
- · Toll Free: 1 (888) 628-0846
- · Fax: 1 (888) 628-0846

EMERGENCY PHONE NUMBERS: INFOTRAC (24 HRS): USA & CANADA 1 (800) 535-5053 INFOTRAC (24 HRS): INTERNATIONAL +1 (352) 323-3500

2 Hazard(s) identification

· Classification of the substance or mixture

The product is not classified as hazardous according to the Globally Harmonized System (GHS).

• Additional information:

There are no other hazards not otherwise classified that have been identified.

0 percent of the mixture consists of ingredient(s) of unknown toxicity.

- · Label elements
- · GHS label elements

The product is not classified as hazardous according to OSHA GHS regulations within the United States. • Hazard pictograms Not Regulated


- · Signal word Not Regulated
- · Hazard-determining components of labeling: None.
- · Hazard statements Not Regulated
- · Precautionary statements Not Regulated
- Hazard description:
- WHMIS-symbols: Not hazardous under WHMIS.
- · Classification system:

NFPA ratings (scale 0 - 4)

Health = 0 Fire = 1 Reactivity = 0

(Contd. on page 2)

Safety Data Sheet - Updated on 01/30/2018



• **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous c	omponents:	
398475-96-2	1, 2-Ethanediamine, polymer with aziridine, N-[3-[(2-ethylhexyl) oxy]-3-	<10%
	oxypropyl]dervs., compds. with polyethylene-polypropylene glycol	
	Skin Irrit. 2, H315; Eye Irrit. 2A, H319	
1333-86-4	Carbon black	5-20%
	&Carc. 2, H351	

· Additional information:

For the listed ingredients, the identity and exact percentages are being withheld as a trade secret. Non-classification as a carcinogen is based on non-respirable form of product.

4 First-aid measures

- Description of first aid measures
- · General information: No special measures required.
- · After inhalation:

Respiration of particulates is unlikely during normal usage.

Supply fresh air; consult doctor in case of complaints.

- After skin contact:
- Wash with soap and water.

If skin irritation is experienced, consult a doctor.

- After eye contact:
- Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing:
- Rinse out mouth and then drink plenty of water.
- Do not induce vomiting; immediately call for medical help.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

Gastric or intestinal disorders when ingested.

(Contd. on page 3)

Trade name: Black Pigment

(Contd. of page 2)

Slight irritant effect on eyes.

- · Danger No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Foam

Gaseous extinguishing agents Fire-extinguishing powder

Water fog / haze

- For safety reasons unsuitable extinguishing agents: Water stream.
- Special hazards arising from the substance or mixture No further relevant information available.

Advice for firefighters

Protective equipment:

Wear self-contained respiratory protective device.

- Wear fully protective suit.
- Additional information No further relevant information available.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures
 Ensure adequate ventilation.

For large spills, wear protective clothing.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

Environmental precautions:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose unusable material as waste according to item 13.

Dispose of the collected material according to regulations. Clean the affected area carefully; suitable cleaners are:

Warm water and cleansing agent

- Warm water and cleansing agent
- Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- Precautions for safe handling

Avoid splashes or spray in enclosed areas. Use only in well ventilated areas.

(Contd. on page 4)

Safety Data Sheet - Updated on 01/30/2018

Trade name: Black Pigment

(Contd. of page 3)

- · Information about protection against explosions and fires: No special measures required.
- [·] Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:
- Avoid storage near extreme heat, ignition sources or open flame.
- Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Keep containers tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems:

· No further data; see item 7.

· Control parameters

• Components with limit values that require monitoring at the workplace:

1333-86-4 Carb	oon black
PEL (USA)	Long-term value: 3.5 mg/m ³
REL (USA)	Long-term value: 3.5* mg/m³ *0.1 in presence of PAHs;See Pocket Guide Apps.A+C
TLV (USA)	Long-term value: 3* mg/m³ *inhalable fraction
EL (Canada)	Long-term value: 3 mg/m³ IARC 2B
EV (Canada)	Long-term value: 3.5 mg/m³
LMPE (Mexico)	Long-term value: 3* mg/m³ A3, *fracción inhalable

• Additional information: No further relevant information available.

- · Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:
- The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed.

(Contd. on page 5)

DIAMOND**COAT 🕅**

Safety Data Sheet - Updated on 01/30/2018

Trade name: Black Pigment

(Contd. of page 4) Avoid contact with the eyes. Avoid close or long term contact with the skin. · Engineering controls: No further relevant information available. · Breathing equipment: Not required under normal conditions of use. Use suitable respiratory protective device when aerosol or mist is formed. Use suitable respiratory protective device when high concentrations are present. · Protection of hands: Rubber gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye protection: Safety glasses · **Body protection:** Protection may be required for spills. · Limitation and supervision of exposure into the environment No special requirements. · Risk management measures No special requirements. 9 Physical and chemical properties Information on basic physical and chemical properties · General Information · Appearance: Form: Liquid Color: Black colored Mild · Odor: Not determined. · Odor threshold: app. 6 [·] pH-value at 20 °C (68 °F): · Change in condition Melting point/Melting range: Undetermined. Boiling point/Boiling range: > 199 °C (> 390 °F) · Flash point: 204 °C (399 °F) · Flammability (solid, gaseous): Not applicable. · Auto-ignition temperature: Not determined. [•] Decomposition temperature: Not determined. (Contd. on page 6)

Safety Data Sheet - Updated on 01/30/2018

Trade name: Black Pigment

		(Contd. of page 5)
· Auto igniting:	Product is not self-igniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
 Explosion limits: Lower: Upper: Oxidizing properties 	Not determined. Not determined. Non-oxidizing.	
· Vapor pressure at 20 °C (68 °F):	<0.0013 hPa (<0 mm Hg) (<0.001 mm Hg)	
 Density at 20 °C (68 °F): Relative density Vapour density Evaporation rate 	1.12 g/cm³ (9.31 lbs. /gal) Not determined. Not determined. Not determined.	
 Solubility in / Miscibility with Water: 	Slightly soluble.	
· Partition coefficient (n-octanol/water): Not determined.		
 Viscosity: Dynamic at 25 °C (77 °F): Kinematic: Other information 	3.600±1080 CPS Not determined. No further relevant information available.	

10 Stability and reactivity

- · Reactivity
- Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- Possibility of hazardous reactions
- Reacts with strong oxidizing agents.
- Toxic fumes may be released if heated above the decomposition point.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: Possible in traces.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- LD/LC50 values that are relevant for classification: None.
- Primary irritant effect:
- On the skin: No irritant effect.
- · On the eye: Slight irritant effect on eyes.
- · Sensitization: No sensitizing effects known.

(Contd. on page 7)

DIAMONDCOAT

Trade name: Black Pigment

(Contd. of page 6) · Additional toxicological information: The product is not subject to classification according to internally approved calculation methods for preparations: When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us. Carcinogenic categories · NTP (National Toxicology Program) None of the ingredients is listed. · OSHA-Ca (Occupational Safety & Health Administration) None of the ingredients is listed. · Probable Routes of Exposure Ingestion. Inhalation. Eve contact. Skin contact. • Acute effects (acute toxicity, irritation and corrosivity): From product as supplied: None. · Repeated Dose Toxicity: No further relevant information available. · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction): · Germ cell mutagenicity: Based on available data, the classification criteria are not met. · Carcinogenicity Contains known or suspect carcinogens when inhaled. Product is in non-inhalable form and is nonclassifiable as a carcinogen. Based on available data, the classification criteria are not met. • **Reproductive toxicity:** Based on available data, the classification criteria are not met. • **STOT-single exposure:** based on available data, the classification criteria are not met. • STOT-repeated exposure: Based on available data, the classification criteria are not met. · Aspiration hazard: Based on available data, the classification criteria are not met. **12 Ecological information** · Toxicity · Aquatic toxicity: The product contains materials that are harmful to the environment. 398475-96-2 1,2-Ethanediamine, polymer with aziridine, N-[3-[(2-ethylhexyl)oxy]-3-oxypropyl] dervs., compds. with polyethylene-polypropylene glycol EC50 <1.0 mg/kg (Pseudokirchneriella subcapitata) LC50 8.0 mg/l (Oncorhynchus mykiss) • Persistence and degradability No further relevant information available. Behavior in environmental systems: · Bio accumulative potential No further relevant information available. · Mobility in soil No further relevant information available. Additional ecological information: · General notes: Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage svstem. (Contd. on page 8)

Safety Data Sheet - Updated on 01/30/2018

Trade name: Black Pigment

(Contd. of page 7) Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment cannot be excluded.

• Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Smaller quantities can be disposed of with household waste.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

UN-Number	
DOT	Not Regulated
ADR, IMDG, IATA	UN308Ž
UN proper shipping name	
Limited Quantity for pack Gal).	ages less than 30 kg (66 lbs.) and inner packaging less than 5 L (1
DOT	Not Regulated
ADR	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANC
	LIQUID, N.O.S. (ALKYLAMMONIUM SALT)
IMDG, IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE LIQUID, N.O.S. (ALKYLAMMONIUM SALT)
Transport hazard class(es)	LIQUID, N.O.S. (ALKTLANINONION SALT)
DOT	
Class	Not Regulated
ADR	
Class	9 (M6) Miscellaneous dangerous substances and articles
Label	9
IMDG	
Class	9 Miscellaneous dangerous substances and articles (Contd. on page

Safety Data Sheet - Updated on 01/30/2018

de name: Black Pigment		
Label	(Contd. of page	
·IATA		
Class	9 Miscellaneous dangerous substances and articles	
Label	9	
Packing group		
DOT	Not Regulated	
ADR, IMDG, IATA	III	
Environmental hazards:		
Marine pollutant:	No	
Special marking (ADR):	Symbol (fish and tree)	
Special marking (IATA): Special precautions for user	Symbol (fish and tree)	
Danger code (Kemler):	Warning: Miscellaneous dangerous substances and articles 90	
EMS Number:	90 F-A,S-F	
Transport in bulk according to A		
MARPOL73/78 and the IBC Code		
Transport/Additional information		
DOT		
Remarks:	Transport labeling is not required for non-bulk single packa shipments by motor vehicle, rail car or aircraft. Bu packaging consists of a maximum capacity of greater th 450L (119 gallons) for a liquid and a maximum net ma greater than 400kg (882 pounds) for a solid.	
ADR		
Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml	
· UN "Model Regulation":	UN3082, Environmentally hazardous substances, liquid, n.o.s., 9,	

Safety, health and envir United States (USA) SARA	onmental regulations/legislation specific for the substance or mixture
Section 355 (extremely	hazardous substances):
None of the ingredients is	listed.
Section 313 (Specific to	xic chemical listings):
None of the ingredients a	relisted.
TSCA (Toxic Substance	s Control Act):
All ingredients are listed.	

Safety Data Sheet - Updated on 01/30/2018

	(Contd.	of page
	n 65 (California)	
	known to cause cancer:	- 6 1 - 4 -
product as s	to Carbon Black is based on unbound respirable particles and is not generally applica	able to
	Applied.	
1333-86-4	Carbon black	
Chemicals	known to cause reproductive toxicity for females:	
None of the	ingredients are listed.	
- Chemicals	known to cause reproductive toxicity for males:	
None of the	ingredients is listed.	
Chemicals	known to cause developmental toxicity:	
	ingredients is listed.	
	nic categories	
-	onmental Protection Agency)	
None of the	ingredients is listed.	
IARC (Inter	national Agency for Research on Cancer)	
•	Carbon black	2
TIV (Thres	hold Limit Value established by ACGIH)	
•	Carbon black	A
		~
	(National Institute for Occupational Safety and Health)	
-	to Know Listings	
	ingredients is listed.	
	substance listings:	
	Domestic Substances List (DSL)	
	nts are listed.	
	ngredient Disclosure list (limit 0.1%)	
None of the	ingredients is listed.	
Canadian I	ngredient Disclosure list (limit 1%)	
None of the	ingredients is listed.	
· Other reau	lations, limitations and prohibitive regulations	
This produc	t has been classified in accordance with hazard criteria of the Controlled Products Rec	gulation
	S contains all the information required by the Controlled Products Regulations.	
	ion (Australia) OHSC – Non-Hazardous Substance (Classified according to Work safe Australia NOH	ISC 20
	bde of Practice)	0020
	DG – Dangerous Goods (Classified according to National Transport Commission Au	ustralia
Dangerous	Goods Code) (Contd. c	n nade '
		n page

Safety Data Sheet - Updated on 01/30/2018

Trade name: Black Pigment

(Contd. of page 10)

Classification (New Zealand) New Zealand HSNO - Hazardous (Classified according to the Minimum Degrees of Hazard Regulations 2001) Hazard Pictogram (New Zealand HSNO Classification): GHS09 Signal Word: (New Zealand HSNO Classification): WARNING Hazard statements (New Zealand HSNO Classification): HSNO 9.1D Aquatic Acute 2 H401 Toxic to aquatic life. HSNO 9.1B Aquatic Chronic H411 Toxic to aquatic life with long lasting effects. HSNO 9.2B H422 Toxic to the soil environment. HSNO 9.3C H433 Harmful to terrestrial vertebrates. Precautionary statements (New Zealand HSNO Classification): P273 Avoid release to the environment. P391 Collect spillage. P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ADR: Accord European sur le transport des merchandises danger uses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A Carc. 2: Carcinogenicity, Hazard Category 2